

# Getac

A Compact Rugged Smartphone  
Designed for Seamless Connectivity  
*Tougher Than Ever*

Getac MH132  
Fully Rugged Smartphone



## ***MH132***

Fully Rugged  
*Smartphone*

# MH132 Fully Rugged Smartphone



HSPA



Lightweight



GPS



3.2M Pixels  
Camera



Long Battery  
Life



Microsoft Windows Mobile® 6.5  
Professional



- MIL-STD-810G Compliance and IP65 Certified
- Microsoft Windows Mobile® 6.5 Professional
- WWAN (HSUPA / HSDPA / UMTS / EDGE / GPRS / GSM)  
Wi-Fi and Bluetooth™ Connectivity Built-in
- Field Replaceable Li-ion Battery with Long Battery Life
- 3.2" HVGA TFT LCD
- 3.2M Pixels Camera
- Support MicroSD Card Capacity Up to 32 GB
- Micro-USB Slot for Charging and Data Synchronization

The IP65 certified and MIL-STD-810G compliance Getac MH132 is a fully rugged smartphone, resistant to liquid, dust and shocks. Its light-weight and pocket-friendly design allows users to take full advantage of this device, also a valuable work partner, wherever they are.

MH132 features impeccable scalability and connectivity with maximum 32GB microSD memory and wireless connections including 3.75G WWAN, GPS and Bluetooth, bringing users smooth communication and data transmission anytime, anywhere. For outdoor professionals, MH132 offers peace of mind by eliminating concerns for work interruption due to rainy weather or accidental drop of phone, delivering total convenience and a worry-free user experience.

With business clients in mind, MH132 comes with Microsoft Windows Mobile® 6.5 Professional operating system for a seamless integration with existing IT infrastructure as well as easier application development, allowing clients to achieve optimal work-flow efficiency. MH132 as a fully rugged smartphone, along with its design for prolonged product life span, presents businesses with the most cost-effective solution as it will enable companies to reduce total cost of ownership (TCO) dedicated to hardware maintenance and replacement.

## Interface



### Top

- Audio output x 1



### Right Side

- Volume control button x 2
- Camera button x 1



### Bottom

- Micro-USB x 1



### Left Side

- Power button x 1



### Back Side

- Speaker x 1
- Camera x 1
- Battery cover x 1

## Industry Applications



### Transportation

Understanding the demand of transportation and logistics sectors for dispatch accuracy and responsiveness, MH132 provides world-leading voice and data transmission coverage for dispatched personnel through its 3.75G WWAN connection capability. Transport and logistics personnel are now freed from worrying about missing instructions and able to report work progress in a timely manner. The device also helps improve efficiency with its route planning feature thanks to a built-in GPS.



### Field Service

For professionals who conduct maintenance, repair and exploration work outdoor, a device's sturdiness and mobility are of paramount importance. In addition to its light-weight and pocket sized design, the IP65 certified and MIL-STD-810G compliance MH132 is resistant to drop from up to 1.5 meters height. This water, dust and shock proof technology is proven to meet all necessary requirements for outdoor operations. MH132's long-lasting battery life also means uninterrupted work process, allowing each mission to be executed to its perfection.



### Field Sales

MH132 presents comprehensive field sales support by empowering sales personnel to access relevant information in time via seamless connection between the handheld device and business back-end IT system. With its Microsoft Windows Mobile® Professional operating system, MH132 is designed to allow easier application development and greater compatibility, improving cost-effectiveness for companies by eliminating the need for additional program developers. This technology also brings values in its contribution to a leaner operation process, greater productivity and better customer service.

## Optional Accessories



**Vehicle Charger**

- 5W, 12-24VDC



**AC Charger**

- 5W, 100-240VDC



Carry Bag



Standard Battery  
(1030 mAh)



Extended Battery  
(2060 mAh)



Battery Cover



USB Cable



Stylus



Screwdriver



Hand Strap



Headset



Vehicle Mount

# Specifications

|   |   |
|---|---|
| <b>Operating System</b>                   | Genuine Windows Mobile® 6.5 Professional  |
| <b>Mobile Computing Platform</b>          | Qualcomm MSM7227 600 MHz  |
| <b>Display</b>                            | 3.2" TFT LCD HVGA (480 x 320)<br>Pressure sensitive touchscreen   |
| <b>Storage &amp; Memory</b>               | 256MB MDDR<br>512MB NAND flash  |
| <b>Keypad</b>                             | 4 functional key x 4<br>Volume control key x 2<br>Camera key x 1<br>Power key x 1   |
| <b>Expansion Slot</b>                     | microSD card slot<br>(up to 32GB SDHC memory card) x 1  |
| <b>I/O Interface</b>                      | USB (client 2.0; 4-pin Micro-B type; DC power-in(5v, 1A)) x 1<br>Audio output x 1<br>Microphone x 1<br>Speaker x 1                              |
| <b>Communication Interface</b>            | WWAN (HSUPA / HSDPA / UMTS / EDGE / GPRS / GSM)<br>802.11 b/g<br>Bluetooth (v2.1+EDR class 2)<br>GPS with A-GPS support (with internal antenna) |
| <b>Software</b>                           | Microsoft Internet Explorer Mobile®<br>Microsoft® Windows Media® Player 10 Mobile   |
| <b>Power</b>                              | AC adapter (5W, 100-240VAC; 50 / 60 Hz)<br>Li-Ion smart battery (1030mAh) (up to 4 hours of battery life) <sup>i</sup>                          |
| <b>Dimension (W x D x H) &amp; Weight</b> | 13.6 x 7.0 x 2.5 cm (5.35" x 2.76" x 0.98"),<br>215 g (7.58 oz) <sup>ii</sup>   |
| <b>Field Service Feature</b>              | GPS<br>3.2M pixels camera   |

|                                    |   |
|------------------------------------|---|
| <b>Rugged Feature</b>              | MIL-STD-810G compliance and IP65 certified<br>Tamper-proof plastic case<br>Vibration resistant<br>Drop resistant (26 drops from 1.52m / 5ft)<br>Tumbling resistant (250 cycles; 0.5 m / 1.6 ft) |
| <b>Environmental Specification</b> | Temperature:<br>- Operating: -21°C to 43°C / -5°F to 109°F<br>- Storage: -25°C to 63°C / -13°F to 145°F<br>Humidity:<br>- 95% RH, non-condensing  |
| <b>Alphanumeric Data Entry</b>     | Soft input panel (SIP) on screen keyboard<br>Transcriber handwriting recognition<br>Nuance XT9™ SIP   |
| <b>Security Feature</b>            | WiFi for WPA / WPA2 operation<br>Authentication: OPEN, SHARED-KEY, PEAPv0/EAP-MSCHAPv2, EAP-TLS<br>Encryption: WEP, AES, TKIP   |
| <b>Regulation</b>                  | CE, FCC, A-Tick, cTUVus   |
| <b>Inbox Accessory</b>             | AC charger<br>USB cable<br>Hand strap<br>Quick start guide<br>Battery<br>Stylus<br>Stylus tether<br>Headset<br>Screwdriver  |

i Battery performance will vary with software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. Battery life and charge cycles vary by use and settings

ii Weight varies from configurations and optional accessories



## Getac EUROPE

**Germany Office - Getac Technology GmbH**  
Kanzlerstrasse 4  
40472 Düsseldorf, Germany  
Tel: +49 211 984 8190

## Italy Office

Tel: +39 02 36539562

## UK Office - Getac (UK) Ltd.

Mitac house, Nedge Hill, Telford,  
Shropshire, TF3 3AH, U.K.  
Tel: +44 1952 207 231

## Getac NORTH AMERICA

### USA Office - Getac Inc.

43 Tesla, Irvine, CA 92618, USA  
Toll Free: +1 886 GO GETAC  
(1 886 464 3822)

## Getac ASIA

### China Office - Getac Mobile Ltd.

**- Kunshan Office:**  
No.300 (Building, Processing Zone),  
No.1 Avenue, Export Processing  
Zone, Changjiang South Road,  
Kunshan City, Jiangsu, China  
Tel: +86 512 57366000 # 1408  
Fax: +86 512 57382090

### - Shanghai Office:

2/F, No.213, Jiangchang Third Road,  
Zhabei District, Shanghai, China  
Tel: +86 21 61431188 # 1032  
Fax: +86 21 61401023

### - Beijing Office:

Room 501, Haowei Building,  
No.25 Beitai Pingzhuang Rd.,  
Haidian District, Beijing, China  
Tel: +86 10 62381104  
+86 10 62381108 # 2040

## Japan Office -

### MiTAC Japan Corporation

Yasuda 8th Building 6F,  
Kaigan 3-chome 3-8, Minato-ku,  
Tokyo, 108-0022, Japan  
Tel: +81 3 3769 8311 # 6411

## Taiwan Office -

### Getac Technology Corporation

5F, Building A, No. 209,  
Section 1, Nangang Rd.,  
Nangang Dist., Taipei City,  
11568, Taiwan, R.O.C.  
Tel: +886 2 2785 7888

## SALES CONTACT

### North America

ruggedsales@getac.com

### South America

sales-getac-SAmerica@getac.com

### EMEA

sales-getac-EMEA@getac.com

### - Germany:

sales-getac-DACH@getac.com

### - Italy:

sales-getac-Italy@getac.com

### - UK:

sales-getac-UK@getac.com

### Asia Pacific

sales-getac-APAC@getac.com

### - China:

sales-getac-China@getac.com

### - Japan:

sales-getac-Japan@getac.com

## MARKETING CONTACT

### Global

Globalmarketing@getac.com

### North America

NorthAmericamarketing@getac.com

### South America

SouthAmericamarketing@getac.com

### EMEA

EMEAmarketing@getac.com

### Asia Pacific

APACmarketing@getac.com

www.getac.com

Copyright © 2011 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved. All specifications are subject to change without notice.  
V02M02Y11